



Price List Lupine 1 / 2010 INT		
Art.No.	Complete-Sets 7-LED incl. Helmet mount	EVP/Euro
714	<b>BETTY 14 NEW!</b> <b>23W Power LED lamp, 1750 Lumens</b> , Advanced Lens Disk 16, PCS 007 V7.1, 23/9/0,25 W, 3D adjustable mount, LED monitor, H-mount, 120 cm ex cable, Li-Ion rechargeable battery bottle 14.5 Ah, Charger One charger: charging current 2.5A Burn time 23 W: 6 hours Burn time 0.25 W: 336 hours (2 week non-stop) Charging time: 8 hours Weight: 810 g	990.-
707	<b>BETTY 7 NEW!</b> <b>23W Power LED lamp, 1750 Lumens</b> , Advanced Lens Disk 16, PCS 007 V7.1, 23/9/0,25 W, 3D adjustable mount, LED monitor, H-mount, 120 cm ext. cable, Li-Ion rechargeable battery 7.5 Ah, Charger One charger: charging current 2.5A Burn time 23 W: 3 hours Burn time 0.25 W: 186 hours Charging time: 4 hours Weight: 485 g	840.-
<b>Complete-Sets 4-LED incl. Helmet mount</b>		
670	<b>WILMA 10 NEW!</b> <b>17W Power LED lamp, 1100 Lumens</b> , Advanced Lens Disk 15°, front glass anti-reflection coated, PCS V8, 17/9/1 W, 3D adjustable mount, LED monitor, H-mount, 120 cm ex cable, Li-Ion rechargeable battery bottle 10 Ah, Micro Charger battery charger: charging current 2.0A Burn time 17 W: 5 hours 30 min. Burn time 1 W: 88 hours Charging time: 7 hours Weight: 610 g	600.-
677	<b>WILMA 7 NEW!</b> <b>17W Power LED lamp, 1100 Lumens</b> , Advanced Lens Disk 15°, front glass anti-reflection coated, PCS V8, 17/9/1 W, 3D adjustable mount, LED monitor, H-mount, 120 cm ex cable, Li-Ion rechargeable battery 7.5 Ah, cordura soft case, Micro Charger battery charger: charging current 2.0A Burn time 15 W: 4 hours Burn time 1 W: 66 hours Charging time: 5 hours Weight: 455 g	560.-
675	<b>WILMA 5 NEW!</b> <b>17W Power LED lamp, 1100 Lumens</b> , Advanced Lens Disk 15°, front glass anti-reflection coated, PCS V8, 17/9/1 W, 3D adjustable mount, LED monitor, H-mount, 120 cm ex cable, Li-Ion rechargeable battery 5 Ah, cordura soft case, Micro Charger Basic, charging current 1.7A Burn time 17W: 3 hours Burn time 1 W: 44 hours Charging time: 5 hours Weight: 355 g	480.-
646	<b>WILMA 6 CL</b> <b>15W Power LED lamp, 1000 Lumens</b> , Advanced Lens Disk 15°, front glass anti-reflection coated, PCS 007 V7.1, 15/9/1 W, 3D adjustable mount, LED monitor, H-mount, 120 cm ex cable, Li-Ion rechargeable battery 7.5 Ah, cordura soft case, Micro Charger battery charger: charging current 2.0A Burn time 15 W: 4 hours 30 min Burn time 1 W: 44 hours Charging time: 5 hours Weight: 455 g	560.-







Price List Lupine 1 / 2010 INT		
Art.No.	Complete-Sets 4-LED incl. Helmet mount	EVP/Euro
<b>505</b> 	<b>TESLA 5</b> 12 W Power LED Lampe, 12/4/1.5W, 700 Lumen Hexagon mirror 13°, adjustable mount, battery monitor, reserve tank Li-Ion rechargeable battery 5.0 Ah, Wiesel V 3 charger, 1.2A 120 cm extension cable <b>Quick Select:</b> 3 steps, 2 steps, 3 steps with RLVR Flash, battery High, battery Low Burn time: 12 W: 3 hours Burn time: 9 W: 40 hours Charging time: 5 hours Weight: 320 g	340.-
<b>404</b> 	<b>TESLA 4</b> <b>12W Power LED lamp, 12/4/1.5W ,700 Lumen</b> Hexagon mirror 13°,3D adjustable mount , battery monitor, reserve tank Li-Ion rechargeable battery 4.5 Ah, Wiesel V 3 charger, 1.2A, 120 cm extension cable Burn time 12 W: 2:45 hours Burn time 1.5 W: 38 hours Charging time: 5 hours Weight: 320 g   	295.-
Complete-Sets 7-LED incl. Head band		
<b>720</b> 	<b>BETTY X PRO NEW!</b> <b>23W Power LED lamp, 1750 Lumens</b> , Advanced Lens Disk 16°, front glass anti-reflection coated, PCS 007 V7.1, 23/9/0,25 W, 3D adjustable mount, LED monitor, H-mount, 120 cm ex cable, Li-Ion rechargeable battery 7.5 Ah, Charger One battery charger: charging current 2.5A , 12 V car adaptor. With headband. 120cm extension-cable. colour/head belt: blue Burn time 23 W: 3 hours Burn time 9 W : 7 hours Burn time 1 W : 44 hours Burn time 0.25 W: 168 hours ( 1 week non-stop ) Charging time: 4 hours Weight: 470 g	865.-
<b>657</b> 	<b>WILMA X PRO NEW!</b> <b>17W Power LED lamp, 1100 Lumens</b> , Advanced Lens Disk 15°, front glass anti-reflection coated, PCS 007 V7.1, 17/9/1 W, 3D adjustable mount, LED monitor, capacity-display, reserve-tank, Li-Ion rechargeable battery soft case 7.5 Ah, mountable on headband/helmet and all tubes, Micro Charger battery charger: charging current: 2A, 12 V car adaptors. With headband. 120cm extension-cable. colour/head belt: blue Burn time 1 W: 66 hours Burn time 17 W: 4 hours Charging time: 5 hours Weight: 440 g	580.-
<b>655</b> 	<b>WILMA X NEW!</b> <b>17W Power LED lamp, 1100 Lumens</b> , Advanced Lens Disk 15°, front glass anti-reflection coated, PCS 007 V7.1, 15/9/1 W, 3D adjustable mount, LED monitor, capacity-display, reserve-tank, Li-Ion rechargeable battery soft case 5 Ah, mountable on headband/helmet and all tubes, Micro Charger Basic, charging current: 1.7A, with headband. 120cm extension-cable. colour/head belt: blue Burn time 1 W: 44 hours Burn time 17 W: 3 hours Charging time: 5 hours Weight: 350 g	500.-



# LUPINE®

LIGHTING SYSTEMS GMBH

WINNBERGER WEG 11  
92318 NEUMARKT  
FON: 09181-509490  
FAX: 09181-5094915  
NET: WWW.LUPINE.DE  
E-MAIL: INFO@LUPINE.DE

Price List Lupine 1 / 2010 INT		
Art.No.	Complete-Sets 4-LED incl. Head band	EVP/Euro
<b>515</b> 	<b>TESLA X PRO</b> <b>12W Power LED Lampe, 12/4/1.5W, 700 Lumen</b> Hexagon mirror 13°, adjustable mount, battery monitor, reserve tank , Li-Ion rechargeable battery 5.0 Ah, Wiesel V 3 charger, current: 1.2A 120 cm extension cable <b>Quick Select:</b> 3 steps, 2 steps, 3 steps with RLVR Flash, battery High, battery Low Burn time 12 W: 3 hours Burn time 1.5 W: 60 hours Charging time: 5 hours Weight: 320 g	360.-
<b>414</b> 	<b>TESLA X</b> <b>12W Power LED Lampe, 12/4/1.5W, 700 Lumen,</b> Hexagon mirror 13°,3D adjustable mount , battery monitor, reserve tank Li-Ion rechargeable battery 4.5 Ah soft case, Wiesel V 3 charger, current:1.2A 120 cm ex cable with headband. colour/head belt: blue Burn time 12 W: 2:45 hours Burn time 1.5 W: 38 hours Charging time: 5 hours Weight: 320 g	315.-

Extras		
Art.No	Lamp heads	Euro
745	23W Power LED lamp Betty,1750 Lumens, Advanced Lens Disk 16°, PCS 007 V7.1, 22/9/0,25 W, 3D adjustable mount <b>NEW!</b>	540.-
633	17W Power LED lamp, 1100 Lumens, Advanced Lens Disk 15°, PCS 007 V8, glass anti-reflection coated, 3D adjustable mount <b>NEW!</b>	330.-
402	<b>12 W Tesla "SC" 1-LED Lampe</b> with PCS V10, 12/4/1.5W reserve tank, Hexagon mirror 13° <b>Quick Select:</b> 3 steps, 2 steps, 3 steps with RLVR Flash, battery High, battery Low	185.-
401	12 W Tesla 1-LED lamp 700 Lumens 3- step 12/4/1.5 W reserve tank, Hexagon mirror 13°	167.-
394	Lamp head (housing in black with cooling fins ) PCS V3.3 25 W HP 20 °	138.-
392	Lamp head (housing in black with cooling fins ) PCS V3.3 16 W HP 18 °	130.-
Rechargeable battery-packs in soft case / or bottle		
948	Li-Ion 14.5 Ah; (Bottle) (f.i. Edison 10 and Betty 12)	306.-
983	Li-Ion 10 Ah; (Bottle) (f.i. Wilma 8 or 10)	211.-
965	Li-Ion 7.5 Ah; (Frame) (f.i. Edison 5 and Betty 6 or 7 )	171.-
967	Li-Ion 7.5 Ah; (Wrap) (f.i. Wilma X Pro and Betty X Pro)	169.-
969	Li-Ion 5 Ah; (Frame) (f.i. Wilma 4 or 5 and Edison 4)	128.-
945	Li-Ion 5 Ah; (Wrap) (f.i. Wilma X)	130.-
963	Li-Ion 4.5 Ah; (Frame) (f.i. Wilma 4 or 5 and Edison 4)	120.-
925	Li-Ion 2.5 Ah; Micro-battery , (Wrap) <b>NEW!</b>	66.-
199	Li-Ion 0.7 Ah; Nano-battery, for all LED lamps	21.-



# LUPINE®

LIGHTING SYSTEMS GMBH

WINNBERGER WEG 11  
 92318 NEUMARKT  
 FON: 09181-509490  
 FAX: 09181-5094915  
 NET: WWW.LUPINE.DE  
 E-MAIL: INFO@LUPINE.DE

<b>Price List Lupine 4 / 2009 INT</b>		
<b>Rechargeable battery-packs (without softcase / bottle)</b>		
947	Li-Ion 14,5 Ah (Betty 14)	290.-
982	Li-Ion 10 Ah (Wilma 10)	195.-
960	Li-Ion 7,5 Ah (Wilma 7, Betty 7)	153.-
968	Li-Ion 5 Ah (Wilma 5)	110.-
973	Li-Ion 4,5 Ah (Wilma 4, Telsa 4)	100.-
<b>Battery chargers</b>		
962	Charger One battery charger 2.5A (90-240 V), LCD display ,CNC aluminium-housing, 4 discharge/charge programs, 12 V car-cable included	148.-
464	Micro Charger, only for Li-Ion batteries. charging current: 2A, preservation charge, shows charged capacity	78.-
459	Micro Charger Basic Edition, only for Li-Ion. current: 1.7A, preservation charge	66.-
964	Micro Charger, only for Ni-MH batteries. charging current: 2A, preservation charge, shows charged capacity	58.-
463	Wiesel V3 100-240 V 1200mA only for Li-Ion batteries	48.-
944	Egston AC/DC adaptor, 100-240V, all plugs	30.-
<b>Case</b>		
888	small case with zipper , suitable for all versions without bottle or headband	20.-
999	Case with zipper , suitable for all versions with bottle or headband	30.-
<b>Head-band/ Helmet mounts / Hip belts</b>		
190	Headband, for all Lupine lamps, includes 120cm extension cable	47.-
191	Headband, for all Lupine lamps, without 120cm extension cable	37.-
189	Headband Pro, for all Lupine lamps, includes 120cm extension cable	56.-
188	Headband Pro, for all Lupine lamps, without 120cm extension cable	46.-
195	Oversized Helmet mounting set for use with bicycle helmets; /w 120cm extension cable, adjustable to Art.No. 789	26.-
192	Helmet mounting set for use with bicycle helmets; /w 120cm extension cable, adjustable to Art.No. 788	26.-
788	Standard carbon fibre mount 25 mm	9.-
789	Oversized carbon fibre mount 31,8 mm	9.-
<b>HP-Halogen-HP bulb/reflector</b>		
331	25 W HP HP bulb/reflector 12 °	30.-
323	16 W HP HP bulb/reflector 12 °	23.-
<b>SR-Halogen-HP bulb/reflector (best with head lamps)</b>		
332	25 W SR HP bulb/reflector 12°	30.-
325	16 W SR HP bulb/reflector 12°	30.-
<b>DIY Upgrade Wilma and Betty</b>		
667	CREE Upgrade kit for Wilma's with integrated switch, 15°, 1000 Lumen	90.-
672	CREE Upgrade kit for Wilma's with integrated switch, 20°, 1000 Lumen	90.-
668	CREE Upgrade kit for Wilma's with external switch, 15°, 1100 Lumen	90.-
673	CREE Upgrade kit for Wilma's with external switch, 20°, 1100 Lumen	90.-
669	CREE Upgrade kit for Betty's with external switch, 16°, 1750 Lumen	135.-
671	CREE Upgrade kit for Betty's with external switch, 22°, 1750 Lumen	135.-
126	Wilma lens 18° only fits Seoul P4 LED	28.-
130	Wilma lens 15° only fits CREE XP-G LED	28.-
131	Wilma lens 20° only fits CREE XP-G LED	28.-
132	Betty lens 16° only fits CREE XP-G LED	35.-
133	Betty lens 22° only fits CREE XP-G LED	35.-
<b>PowerControl cable</b>		
007	PCS V3.3 16/12/6 W from 7/96 -for upgrade	98.-



# LUPINE®

LIGHTING SYSTEMS GMBH

WINNBERGER WEG 11  
92318 NEUMARKT  
FON: 09181-509490  
FAX: 09181-5094915  
NET: WWW.LUPINE.DE  
E-MAIL: INFO@LUPINE.DE

<b>Price List Lupine 4 / 2009 INT</b>		
Art.No.	<b>Spare parts</b>	Euro
981	Lamp housing , suitable for all halogen-lamps, with cooling fins, black anodized, shot-peened surface, laser-logo, serial number	46.-
988	Lamp housing , suitable for all halogen-lamps, with cooling fins, XTR gray, shot-peened surface, laser-logo, serial number	46.-
311	EPDM-ring for 25 mm handle bars	3.-
313	EPDM-ring for 31,8 mm handle bars	3.-
314	Spring ring V2A, suitable for all halo-lamps	3.-
317	Front glas, Passubio	4.-
117	Front glas, X-Beam	4.-
456	Battery bottle cap gray /w adjustable cable, hard foam	12.-
970	Frame Battery softcase, BIG, suitable for 7.5 Ah batteries	25.-
971	Frame Battery softcase, SMALL, suitable for 4.5 Ah - 5.0 Ah batteries	25.-
980	Wrap Battery softcase, BIG (Betty X Pro, Wilma X Pro) for 7.5 Ah	25.-
979	Wrap Battery softcase, SMALL (Wilma X) for 4.5 Ah - 5.0 Ah	23.-
<b>Accessoires</b>		
194	Peppi CNC-holder for PCS V3 - V7.1, external switch	25.-
537	extension-cable 20 cm	12.-
536	extension-cable 30 cm	12.-
535	extension-cable length 120 cm	10.-
465	12V car-charging cable adaptor for ChargerOne + all MicroChargers	9.-
<b>Frontcaps - Internal switch</b>		
412r	Tesla front caps 2009, red	14.-
412lo	Tesla front caps 2009, light orange	14.-
412x	Tesla front caps 2009, xtr grey	14.-
412do	Tesla front caps 2009, dark orange	14.-
412db	Tesla front caps 2009, dark blue	14.-
412sb	Tesla front caps 2009, soft black	14.-
412	Tesla front caps, silver	12.-
422r	Wilma front caps 2009, red	18.-
422lo	Wilma front caps 2009, light orange	18.-
422x	Wilma front caps 2009, xtr grey	18.-
422do	Wilma front caps 2009, dark orange	18.-
422db	Wilma front caps 2009, dark blue	18.-
422sb	Wilma front caps 2009, soft black	18.-
422	Wilma front caps, silver	14.-
<b>Frontcaps - External switch</b>		
421	Wilma front caps, silver, external switch	14.-
419	Wilma front caps, black, external switch	14.-
420	Betty front caps, massive titanium	45.-

Price List Lupine 1 / 2010 INT		
Art.No.	Complete-Sets Flashlight	EVP/Euro
230	 <p><b>TESLA TL 1200</b>  <b>12W Power LED Lampe, 20W - 1.5W, 1200 Lumen</b>  Hexagon mirror 15°,  <b>2 x Li-Ion rechargeable battery 2.5 Ah</b>, Charger One current: 2.5A  12 V car adapter, Holster  <b>Quick Select:</b> choose from 1 up to 4 steps, SOS, Disorientation mode  Burn time 20 W: 1 hour *  Burn time 1.5 W: 15 hours *  Charging time: 1 hour 30 minutes  Weight: 269 g</p> <p>* twice the burntime with second battery</p>	520.-
220	 <p><b>TESLA TL 700</b>  <b>12W Power LED Lampe, 12W - 1W, 700 Lumen</b>  Hexagon mirror 13°,  Li-Ion rechargeable battery 2.5 Ah, Microcharger current: 2.0A  12 V car adapter, Holster  <b>Quick Select:</b> choose from 1 up to 4 steps, SOS, Disorientation mode  Burn time 12 W: 1 hour 30 minutes  Burn time 1 W: 18 hours  Charging time: 1 hour 30 minutes  Weight: 259 g</p>	370.-
<b>Flashlight incl. battery, without charger</b>		
233	Tesla TL 1200	350.-
222	Tesla TL 1200	279.-
<b>Accessoires</b>		
219	Holster TL 1200	45.-
218	Holster TL 700	45.-
216	Spare battery tank 2.5A TL 1200	45.-
215	Spare battery tank 2.5A TL 1200	45.-

## Delivery conditions

Please find closer information on [www.lupine.de](http://www.lupine.de)